

Conduit & Fittings

- BS4568 & BS31 Conduit
- Small Malleable Boxes
- Large Malleable Boxes
- Small Extension Pattern Boxes
- Looping In Boxes
- Small Box Covers (Lids)
- Hooks and Loops
- Couplings / Elbows
- Bends / Tees / Rings / Bushes
- Plugs and Glands / Reducers
- Lucknuts / Saddles



Electrical Conduit Tools

- Bending Machine, Die Sets
- Fish Wire Tape, Cable Puller
- Bending Spring

Flexible Conduit & Fittings


- Galvanized Steel Flex. Conduit
- PVC Coated Flex. Conduit
- Flex. Conduit Adaptor

Strut Channel & Fittings


- Strut Channel
- Spring Nut, Thread Bolt, Beam Clamp
- Channel Plate



Class3



Class4



BS4568-1970 GI CONDUIT

Size (mm)	Outside Diameter		Wall Thickness (mm)	Length (meters)	Length of Thread		Primary Bundle (pcs)
	Min	Max			Min	Max	
Heavy Gauge							
20	19.7mm	20.0mm	1.6±0.15	3.75	13.0mm	15.0mm	10
25	24.6mm	25.0mm	1.6±0.15	3.75	16.0mm	18.0mm	10
32	31.6mm	32.0mm	1.6±0.15	3.75	18.0mm	20.0mm	10
40	39.6mm	40.0mm	1.8±0.15	3.75	19.0mm	22.0mm	3
50	49.6mm	50.0mm	1.8±0.15	3.75	19.0mm	22.0mm	3
Light Gauge							
20	19.7mm	20.0mm	1.20±0.05	3.75	13.0mm	15.0mm	10
25	24.7mm	25.0mm	1.20±0.05	3.75	16.0mm	18.0mm	10
32	31.7mm	32.0mm	1.20±0.05	3.75	18.0mm	20.0mm	10

BS31-1940 GI CONDUIT

Size (mm)	Outside Diameter		Wall Thickness (mm)	Length (meters)	Length of Thread		Primary Bundle (pcs)
	Min	Max			Min	Max	
Heavy Gauge							
3/4"	18.9mm	19.05mm	1.6±0.15	3.81	11.5mm	13.5mm	10
1"	25.2mm	25.4mm	1.6±0.15	3.81	13.0mm	15.0mm	10
1 1/4"	31.5mm	31.8mm	1.6±0.15	3.81	16.0mm	18.0mm	10
1 1/2"	37.8mm	38.0mm	1.8±0.15	3.81	19.0mm	22.0mm	3
2"	50.4mm	50.6mm	1.8±0.15	3.81	19.0mm	22.0mm	3
Light Gauge							
3/4"	18.9mm	19.05mm	1.6±0.15	3.81	11.5mm	13.5mm	10
1"	25.2mm	25.4mm	1.6±0.15	3.81	13.0mm	15.0mm	10
1 1/4"	31.5mm	31.8mm	1.6±0.15	3.81	16.0mm	18.0mm	10
1 1/2"	37.8mm	38.0mm	1.8±0.15	3.81	19.0mm	22.0mm	3
2"	50.4mm	50.6mm	1.8±0.15	3.81	19.0mm	22.0mm	3

Note: All Information available at the time of order
if you need other thickness, length and packing pls contact us

